






**210502**  
**VP 1000**  
**Multi-functional control panel**

- For individual visualization and manipulation of one or more vision inspections
- 10.1" WXGA, 1,280x800 pixels, 425cd/m<sup>2</sup>
- Capacitive Multi Touch
- For all Vision Sensors of type CS
- Fanless operation



Function											
											 

Technical data (typ.)	
Service voltage	9 ... 30 V DC
Mounting	Threaded bolt M4 (6x)
Display diagonal	10.1 Zoll
Component	Multi-functional control panel
Operating principle	Touchscreen monitor
To be used for	CS 50 Vision Sensors
Functions	Communication with camera (CloudLink/Telnet-based), Changing camera job via touchscreen, Manipulation of camera settings via touchscreen, Manipulation of a job via all linked variables/no
Languages	German, English, French
Interface	<ul style="list-style-type: none"> <li>■ telnet</li> <li>■ ReST-API</li> <li>■ http</li> </ul>
Data communication to camera	All variables linked in AutoVision can be displayed / manipulated
Ambient temperature during operation	0 ... +50 °C
Protection type	IP 65 (Front side)
Connection	RJ 45 (Network)
Connection 2	Connector, 2-pin (Voltage supply)
More information / accessories	
<a href="https://www.di-soric.com/210502">https://www.di-soric.com/210502</a>	